

		PC Import	PC Export	Mac Import	Mac Export
123	Lotus 1-2-3	•			
.D	320x200 pixel at 1 bit			•	
12M	Lotus 1-2-3	•	•		
3DMF	3D Model	•			
8BIM	Old Photoshop 2.0 format Supports 1, 8 and 24 bit per pixel			•	
ACE	Komprimierung	•	•		
Acorn Sprite	Contains sprites from Acorn computers			•	
ACR	DICOM/ACR Dateien	•			
AFP	Variant of the TIFF format for 1 bit images			•	
AI	Adobe Illustrator	•	•	•	•
AIF	ActiveMovie	•			
AIF	Sound Dateien	•			
AIFC	ActiveMovie	•			
AIFF	ActiveMovie	•			
ALIAS	Alias Pix format Supports 256 grays or 24 bit			•	
AMBER ARR	Used by a microscope Supports 256 grays			•	
ANI	Windows Cursor	•			
ANI	Animations from the NeoChrome application			•	
ANPA	Format with IPTC details			•	
ANS	Text	•	•		
Apple Preferred	Format des images Apple IIgs			•	
APR	Lotus Approach	•	•		
APT	Lotus Approach	•	•		
ARC	Komprimierung				•
ARJ	Komprimierung	•	•		
ART	Format of First Publisher Supports 1 bit per pixel			•	
ASC	Text	•	•		
ASCII	Option for importing and exporting images as ASCII characters			•	•
ASF	Video for Windows	•			
ASP	MS Active Server Pages	•	•		
ASV	QuarkXPress	•			
AU	ActiveMovie	•			
AU	Sound Dateien	•			
AVI	Video für Windows	•	•		
AWD	Faxdokument	•	•		
B3D	BodyPaint 3D Format	•			

B3D	Maxon format of their 3D render application			•	
BIN	Komprimierung				•
BioRad	BioRad file format Supports 256 grays			•	
BLD	Format of Mega Paint			•	•
BMP	OS/2 Bitmap	•	•		
BMP	Windows Bitmap	•	•	•	•
BUF	Supports 32 bit			•	
BUM	Variant of the BMP or PICT format			•	•
c4	JEDMICS C4 format			•	
CAB	Komprimierung	•	•		
CAD	Drafix CAD	•	•		
CAL	CALS-komprimierte Bitmap	•	•		
CAL	SuperCalc	•			
CALS	CCITT 4 compressed black & white images			•	
CAM	Casio Camera File (JPG only)	•			
CAM	Format of the Casio QV-10/100 Variant of the JPEG format			•	
CDR	Corel DRAW	•	•		
CDT	CorelDraw-Vorlage	•	•		
CDX	CorelDraw-komprimiert	•			
CEL	CEL format			•	•
CFM	Cold Fusion-Vorlagen	•	•		
CFML	Cold Fusion-Vorlagen	•	•		
CGM	Computer Graphics Metafile	•	•		
CGM	International standardized file format for exchange of image with vector and bitmap content			•	
CH*	Harvard Graphics	•			
CH*	Lotus Freelance Graphics	•			
CHT	Harvard Graphics	•			
CHT	Lotus Graphwriter	•			
CLK	Corel R.A.V.E.	•	•		
CLP	Windows Bitmap	•	•		
CLP	Clipboard format of Windows			•	
CMP	Joint Photographic Experts Group (JPEG)	•	•		
CMX	Corel ClipArt-Format	•			
CMX	Corel CMX Komprimierung	•			
CMX	Corel Presentation Exchange	•	•		
CPL	Systemsteuerungsoption	•			
CPT	Corel PHOTO-PAINT	•	•		
CPT	Komprimierung				•
CPX	CorelCMX-Komprimierung	•			

CRW	Raw file format of Canon digital cameras	•		•	
csource	csource file format (image as csource)			•	•
CSS	Stylesheets	•	•		
CSV	Text (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
CT	Scitex CT	•		•	
CUR	Windows 3.x/NT-Cursor-Ressource	•	•		
CVG	Calamus vector format			•	
DAT	MPEG Dateien	•			
DAT	Text	•			
DB	Paradox	•	•		
DBC	MS FoxPro	•			
DBF	dBASE	•	•	•	•
DBF	MS FoxPro	•	•		
DCM	DICOM/ACR Dateien	•			
DCS	Desktop Color Separations		•		•
DCX	DCX-Dokument	•			
DCX	Zsoft Paintbrush	•			
DCX	Contains multiple PCX files			•	
DeltaVision	DeltaVision format			•	
DESR VFF	-			•	
DGM	Lotus Freelance Graphics	•	•		
DIB	Windows Bitmap	•	•		
DICoM	Medical format			•	
DIF	Data Interchange Format	•	•	•	•
DJ1000	Camera format			•	
DJVU	AT&T DjVu Dateien	•			
DL	Animation format with 320 x 200 pixel at 8 bit Contains normally x-rated content			•	
DLL	Programmbibliotheken	•			
DO*	MultiMate	•	•		
DOC	Corel WordPerfect	•	•		
DOC	MS Word (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
DOC	MS WordPad	•	•		
DOC	MultiMate	•	•		
DOC	PC-Text	•	•		
DOC	SmartWare	•	•		
DOC	Wang (WP)	•	•		
Doodle	-			•	
DOT	MS Word	•	•		
DOX	MultiMate	•	•		
DPX	-			•	

Dr. Halo	1. Format of the Dr. Halo application 2. Uses 256 colors			•	
DrawIT	DrawIT PDB format on PalmOS			•	
DRW	Lotus Freelance Graphics	•	•		
DRW	Micrografx Designer	•	•		
DS4	Micrografx Designer 4.x	•	•		
DSF	Micrografx Designer	•	•		
DST	Micrografx-Vorlagendatei	•	•		
DWF	Autodesk		•		
DWG	Autodesk-AutoCad/AutoSketch	•	•		
DWT	Autodesk-AutoCad/AutoSketch	•	•		
DXB	Autodesk-AutoCad/AutoSketch	•			
DXF	Autodesk-AutoCad/AutoSketch	•	•	•	•
E3D	Instant 3D-Projekt	•			
ECW	Enhanced Compressed Wavelet	•			
ECW	ECW wavelet format Used for large maps			•	•
ElectronicImage	Electric Image format It may contain animations			•	•
EMF	Enhanced Windows Metafile	•	•	•	
EPS	Encapsulated PostScript	•	•	•	•
EPSF	Postscript format (*) GraphicConverter need a helper application for opening such a file			• (*)	•
ESM	ESM format			•	
EXE	Programme	•			
EXE	Standalone-Movies	•			
EXE	Windows 3.x/NT Bitmap Resource	•			
EYE	Renderize-Projektdatei	•			
FAX	CCITT 3 encoded fax file			•	
FaxSTF	Format from the FaxSTF software			•	
FFT	DCA/FFT	•	•		
FH*	Macromedia FreeHand	•	•	•	•
FireViewer PDB	Palm OS format Supports black & white, 4 and 16 grays and 256 colors			•	
FITS	Flexible Image Transport System format Normally used for science			•	
FLH/FLI/FLC	Animation from the Autodesk Animator FLI supports 8 bits at 320 x 200 pixel FLC support 8 bits at 640 x 480 pixel FLH supports high color.			•	
FLM	Filmstreifen	•	•	•	•

FM	Adobe FrameMaker	•			
FM	Filemaker	•	•		
FM3	Lotus 1-2-3				•
FMT	Lotus 1-2-3				•
FMV	Rahmen-Vektor-Metadatei	•	•		
FP3	Filemaker	•	•		
FPX	Kodak FlashPix Bild	•	•		•
FPX	MS Picture It!-FlashPix-Format	•	•	•	
FSH	EA Sports Format	•	•		
FT*	Macromedia FreeHand	•	•	•	•
FUJI	-			•	
G3	G3 FAX Dateien	•			
GAL	Hewlett Packard Graphics Gallery	•			
GATAN	Format of a microscope Supports 256 grays			•	
GED	Visual 3D-Geometriedatei	•			
GEM	Digital Research GEM	•	•	•	
GFX	Format of Xgrabber			•	
GIF	Compuserve GIF	•	•		
GIF	GIF89a	•	•	•	•
GIF	GIF-Animation	•			
GIF	Graphic Interchange Format	•	•	•	•
GPH	Lotus Freelance Graphics (OS/2)	•			
GrayPaint	GrayPaint PDB format on Palm OS			•	
GRF	Micrografx Grafik	•			
GRP	Uses 1 or 4 bit per pixel			•	
GSM	Nokia LogoManager	•			
GZ	Komprimierung				•
GZip	Komprimierung	•	•		
HAM	Format Interchange File Format (IFF)			•	
HGL	Hewlett Packard Graphics Language	•			
HP-GL/2	Vector images This format is normally used from plotters			•	•
HQX	Komprimierung			•	•
HTM	Hyper Text Markup Language	•	•		
HTML	Hyper Text Markup Language	•	•		
HTX	Hyper Text Markup Language	•	•		
HTX	MS IIS 1-2		•		
IBM PIC	Supports 16 bit per pixel			•	
IC ? Imagic	Format of the ATARI application Imagic Supports the three color modes of the ATARI			•	

ICB	Targa Bitmap	•	•		
ICL	Windows Icons	•			
ICO	Windows 3.x/NT-Icon-Ressource	•	•		
ICO	Windows 3.x/NT-Symbol-Ressource	•	•		
ICo/ICN	Format of the Windows file icons			•	•
ICS	Image Cytometry Standard Format	•			
IDC	MS IIS 1-2		•		
IDS	Image Cytometry Standard Format	•			
IFF	Amiga Interchange File Format	•	•	•	•
IGS	IGES Zeichnung	•	•		
IM	Chyron Liberty Paint format			•	
Image -> Finder	Creates an image in a folder by creating custom file icons; this is very usefull for cd-rom creation				•
ImageLab/PrintTechnic	Images with 256 grays			•	
IMG	GEM Datei	•	•		
IMG/XIMG	GEM-Draw file format Supports 1 to 8 bit per pixel The specifications of the 24 bit per pixel variant was never official released			•	•
IMQ	Satellite image format			•	
IPLab	-			•	
IRIS	IRIS (.fep) format			•	
ISS	-			•	
IW44	AT&T DjVu Dateien	•			
j6i	Variant of the JPEG format			•	
JBI	Variant of the TIFF format			•	
JFF	Joint Photographic Experts Group (JPEG)	•	•	•	•
JIF	New format based on GIF But it uses the zlib compression So, there is no patent conflict			•	•
JNG	Multiple Network Graphics	•			
JP2	JPEG2000 File Format	•	•		
JPE	Joint Photographic Experts Group (JPEG)	•	•	•	•
JPEG	Joint Photographic Experts Group (JPEG)	•	•	•	•
JPEG 2000	Supports 24 bits per pixel or 256 grays Uses lossy compression			•	•
JPEG/JFIF	Supports 24 bits per pixel or 256 grays Uses lossy compression Additional EXIF information (from digital cameras) is supported			•	•
JPG	Joint Photographic Experts Group (JPEG)	•	•	•	•
JS	JavaScript Documents	•	•		
JSP	Java Server Pages	•	•		

JTF	Joint Photographic Experts Group (JPEG)	•	•		
KDC	Kodak Digital Camera Dateien	•		•	
KISS CEL	-			•	•
Koala	C64 format			•	
KoNTRoN	Format of the Kontron microscope Contains images that use 256 greys			•	
LASSO	Lasso-Dateien	•	•		
LBI	Bibliothekskdateien	•	•		
LBM	Amiga Interchange File Format	•			
LDF	LuraDocument Format	•	•	•	
LHA	Komprimierung				•
Lotus-PIC	1. Vector format of the Lotus spreadsheet application			•	
LRG	xRes LRG	•			•
LWF	LuraWave Format	•	•	•	•
LWP	Lotus Word Pro	•	•		
LZH	Komprimierung	•	•		
M1V	ActiveMovie	•			
MAC	Macintosh MacPaint	•	•		
MacDraw I	MacDraw I format			•	
MacPaint	Black and white image with 576 x 720 pixels			•	•
MAG	MAKlchan graphic format			•	
MAS	Lotus	•	•		
MAYA-IFF	Variant of the IFF format			•	
MBM (Psion 5)	Images of the PSIoN serie 5			•	•
MCW	MS Word für Macintosh	•	•		
MDA	MS Access	•	•		
MDB	MS Access	•	•		
MDC	Raw format of the Minolta RD-175 digital cameras			•	
MDE	MS Access	•	•		
MDW	MS Access	•	•		
MED	MED/OctaMED Audio Dateien	•			
MET	MET-Metadatei	•			
MET	OS/2 Metafile	•	•		
Meteosat 5	Format of the meteosat satellite			•	
MGX	Micrografx Designer Clipart	•	•		
MID	MIDI-Sequenz	•			
MIF	Adobe FrameMaker	•	•		
MIX	MS Picture It!-Bild	•	•		
MK5	Adobe FrameMaker	•			
MNG	Multiple Network Graphics	•			
MNY	MS Money	•	•		

MonkeyCard	MonkeyCard PDB format			•	•
MonkeyLogo	MonkeyLogo PDB format			•	•
Moov	Animation QuickTime				•
MOV	ActiveMovie	•			
MOV	Apple QuickTime Movie	•	•		
MP3	MPEG Audio Dateien	•			
MPEG	MPEG Dateien	•			
MPG	MPEG Dateien	•			
MPR	Lotus	•	•		
MRC	Format of microscops			•	
MRW	Raw format of Minolta digital cameras			•	
MSP	1 bit images from Microsoft Paint (Windows 2.0)			•	
MSX MSX2, MSX+ - MSX2+	-			•	
MWP	Lotus Word Pro	•	•		
NAP	NAP-Metadatei	•			
NASA Raster Metafile	Format (with or without multiple frames) from the NASA missions			•	
NEF	Nikon D1 raw file format			•	
NEO	Format of the ATARI application NeoChrome Supports 320 x 200 pixel at 16 colors			•	
NGG	Nokia LogoManager	•			
NGG/NCG	Format of Nokia mobile phones			•	•
NIF	-			•	
NLM	Nokia LogoManager	•			
NOL	Nokia LogoManager	•		•	•
NSF	Lotus Notes SQL 2.0 ODBC Driver	•	•		
OLK	Outlook-Adreßbuch	•			
oNCoR	Supports 256 grays			•	
OR*	Lotus Organizer	•	•		
ORF	Raw format of CASIO digital cameras			•	
ORG	Lotus Organizer	•	•		
OTA	OTA bitmap format			•	•
OUT	Lotus 1-2-3	•			
P ? ? Degas	Format of the ATARI application Degas 320 x 200 pixel, 16 colors (*.PI1, *.PC1) 640 x 200 pixel, 4 colors (*.PI2, *.PC2) 640 x 400 pixel, 2 colors (*.PI3, *.PC3)			•	
P65	Adobe Pagemaker	•	•		
PAB	Persönliches Adreßbuch	•			
PAC STAD	Black & white 640 x 400 pixel images of the ATARI application STAD			•	
Palette	color table				•
PAT	Corel Musterdatei	•	•		

PBM	Portable Bitmaps	•	•		
PBM/PGM/PPM	Standard UNIX file format for easy exchange of images Support 1, 8 or 24 bit per pixel The files can be encoded binary or ASCII			•	•
PCD	Kodak ICC Photo CD	•		•	
PCT	Macintosh Picture (PICT)	•	•	•	•
PCX	MS PaintBrush	•	•		•
PCX	Zsoft Paintbrush	•	•		
PCX	Format of PC-Paintbrush Support 1, 4 and 8 bit per pixel The new variant supports 24 bit per pixel, too			•	•
PDB	Palm Pilot format GraphicConverter supports currently the variant FireViewer, TealPaint and ScreenShot Hack			•	•
PDD	Adobe Photoshop	•	•		
PDF	Adobe Portable Document Format	•	•	•	•
PDP	Adobe Acrobat	•	•	•	•
PF	IBM PIF	•	•		
PF	Komprimierung				•
PFB	Adobe Type 1 Font		•		
PFL	Lotus Portfolio	•	•		
PGC/PGF	-			•	
PGM	Portable Graymap	•	•		
PGPF	Sony Clie file format			•	•
PHP	PHP-Dateien	•	•		
PIC	Lotus 1-2-3	•			
PIC	Macintosh Picture (PICT)	•	•		
PIC	Micrografx Picture	•			
PIC	Black & White ATARI image format (640x400 pixel)			•	
PIC	Format from PC Paint			•	
PIC	Format of the Psion Supports 1 or 2 bit per pixel			•	•
PIC (32K)	Black & white 640 x 400 pixel image of the ATARI			•	
PICS	Animations PICT			•	•
PICT	Macintosh Picture (PICT)			•	•
PICT resource	PICT that is written/read from the resource fork of a file			•	•
PIF	IBM PIF	•	•		
PKG	Komprimierung				•
PLT	HP Graphics Language	•	•		
PLT	HPGL Plotterdatei	•	•		
PLZ	Präsentationslisten	•			
PM	Format of the UNIX xv application			•	

PM6	Adobe Pagemaker			•	•
PNG	CompuServe PNG	•	•		
PNG	Portable Network Graphic	•	•	•	•
PNT	Macintosh MacPaint	•			
PNTG	Macintosh MacPaint			•	
POR	Drafix CAD PORT	•	•		
PoRST	Photo on disk format Variant of the JPEG format			•	
POT	MS PowerPoint	•	•		
PP*	MS Picture Publisher	•			
PP4	Micrografx Picture Publisher 4.0	•	•		
PP5	Micrografx Picture Publisher 5.0	•	•		
Ppat	-			•	•
PPF	Micrografx Picture Publisher	•	•		
PPM	Portable Pixelmap	•	•		
PPS	MS PowerPoint	•	•		
PPT	MS PowerPoint	•	•	•	•
PRE	Lotus Freelance Graphics	•	•		
PRN	PostScript Interpreted	•			
PRN	Text	•	•	•	•
PRS	Harvard Graphics (Windows)	•			
PRS	Lotus Freelance Graphics (OS/2)	•	•		
PRZ	Lotus Freelance Graphics	•	•		
PS	Encapsulated PostScript	•	•		
PSD	Adobe Photoshop	•	•	•	•
PSP	Paint Shop Pro Dateien	•		•	
PXR	Pixar	•	•	•	•
QDV	Giffer format Supports 1, 4 and 8 bits per pixel			•	
QNT	-			•	
QRY	QMF Query	•			
QSF	Micrografx QuickVector-Datei	•	•		
QT	QuickTime Film	•	•		
QTIF	QuickTime Picture	•	•	•	
QXB	QuarkXPress	•		•	
QXD	QuarkXPress	•	•	•	•
QXT	QuarkXPress	•	•	•	•
RA	Real Audio Dateien	•			
RAF	Fuji RAF format			•	
RAR	Komprimierung	•	•		
RAS	Sun Raster	•	•		

RAW	Raw	•	•	•	•
RFT	DCA/RFT	•	•		
RIFF	Corel Painter 5/6	•		•	
RLA	-			•	
RLE	Utah RLE Dateien	•			
RLE	Windows Bitmap	•	•	•	
RMI	MIDI-Sequenz	•			
RND	AutoShade Rendering	•			
RTF	Rich Text Format	•	•	•	•
S3D	Micrografx Simply 3D-Projekt	•	•		
SAM	Lotus AmiPro	•	•		
SCD	Matrix/Imapro SCODL		•		
SCD	Schedule + Kontakte	•			
SCM	ScreenCam Movies	•			
SCR	Images of the capture tool of word for DOS The format is identical with PCX			•	•
ScreenShot Hack PDB	Palm OS format Supports black & white, 4 and 16 grays and 256 colors at 160x160 pixel			•	
SCT	Scitex CT	•	•	•	•
SCX	Format of ColoRIX Supports 8 bit per pixel			•	
SDW	Lotus AmiDraw	•			
SEP	TIFF - Tagged Image File Format	•	•		
SFF	Structured Fax Dateien	•		•	
SFW	Seattle Film Works Dateien	•		•	•
SGI	Silicon Graphics Dateien	•		•	
SHP	Format of the image library of Lighting Press or Printmaster Supports 1 bit per pixel			•	
SHTM	Hyper Text Markup Language	•	•		
SHTML	Hyper Text Markup Language	•	•		
SHW	Corel Presentations	•			
SID	LizardTech MrSID Dateien	•			
Sinclair QL	Format of the Sinclair QL			•	
SIT	Komprimierung			•	•
SIXEL	Terminal format from the VAX world			•	
SKD	Autodesk	•	•		
SKETCH	Variant of the MBM format			•	
SKF	Autodesk	•	•		
SKT	Autodesk	•	•		
SLK	SYLK (Symbolische Verknüpfung)	•	•	•	•
SMC	Lotus Freelance Graphics	•	•		

SMM	Lotus AmiPro	•	•		
SND	Sound Dateien	•			
SNX	A modification of the JPEG format			•	
SoFTIMAGE	Format of Softimage Supports 32 bits per pixel Used for video applications			•	•
SPC	Image of the Spectrum application Supports 320 x 200 pixel at 512 colors			•	
SSI	Server-Side Includes	•	•		
ST X SBIG	Supports 256 grays			•	
StartupScreen	This file can be placed in the system folder; so, the Mac OS will display the image during startup			•	•
STM	Server-Side Includes	•	•		
STY	Lotus AmiPro	•	•		
SUN	SUN Raster file format Supports 8 or 24 bit per pixel			•	
Super-Hi-Res 3200	Images with 32000 colors of the Apple ligs			•	
SVG	Skalierbare Vektorgrafiken	•	•		•
SWF	Macromedia Flash/Shockwave Dateien	•	•		•
SY3	Harvard Graphics	•			
SYM	Harvard Graphics	•			
SYM	Lotus	•	•		
System 7 clip	Clipping if System 7 or later				•
TAB	Text	•	•		
TAR	Komprimierung	•	•	•	•
TBC	TBCPlus			•	
TCL	TCL format			•	
TealPaint PDB	Palm OS format Supports black & white and 256 colors (default Palm color table)			•	
TEX	Lotus AmiEquation	•			
TG1	On Target	•			
TGA	Targa Bitmap	•	•		•
TGA	Truevision Targa	•	•	•	•
TIF	TIFF - Tagged Image File Format	•	•	•	•
TIM PSX	-			•	
Tiny Viewer PDB	Format of the Tiny Viewer on PalmOS			•	
TLP	Time Line	•	•		
TN ?	Format of the ATARI application TINY			•	
TRS-80	Format of the TRS-80-			•	•
TTF	True Type Font	•	•		
TTF	True Type-Schrift		•		

TXT	ANSI-Text	•	•		
TXT	ASCII-Text	•	•		
TXT	Text (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
UU	Komprimierung (UUe)				•
UUE	Komprimierung (UUe)	•	•		
VBM	-			•	
VDA	Targa Bitmap	•	•		
VEW	Lotus Approach	•	•		
VFF	Uses 4 bit per pixel			•	
VGS-8	Used by a microscope Supports 256 grays			•	
VITRoNIC	Vitronic format Supports 256 grays			•	
VoXEL	512 x 512 pixel at 256 grays format			•	
VPB	Format of the Quantel video system			•	•
VPM	-			•	
VRML	3D Model	•			
VSD	Visio	•			
VST	Targa Bitmap	•	•		
W*	Symphony Dokument	•	•		
WAV	Wave-Audio	•	•	•	
WB*	Quattro Pro (Windows)	•	•		
WBIN	Format of the MacWavelets application			•	•
WBMP	WAP Bitmap Dateien	•		•	•
WG*	Lotus 1-2-3 (OS/2)	•			
WI	Wavelet Komprimierung Bitmap	•	•		
WIF	WIFF-Datei	•			
WK*	Lotus 1-2-3	•	•	•	•
WKS	Lotus 1-2-3	•	•	•	•
WKS	MS Works (MS-DOS, Windows, Macintosh)	•	•	•	•
WMA	Sound Dateien	•			
WMF	Windows Metafile	•	•	•	•
WMV	Video for Windows	•			
WP	Corel WordPerfect	•	•		
WP*	Office Writer	•	•		
WP4	Corel WordPerfect 4.2	•	•		
WP5	Corel WordPerfect 5.0	•	•		
WP5	Corel WordPerfect 5.1	•	•		
WPD	Corel WordPerfect 6/7/8/9	•	•		
WPF	Enable	•	•		
WPG	Corel WordPerfect	•	•	•	

WPM	Corel WordPerfect 1.0, 2.x für Macintosh	•			
WPS	MS PowerPoint	•			
WPS	MS Works (MS-DOS, Windows, Macintosh)	•	•	•	•
WPT	Corel WordPerfect	•			
WQ*	Quattro Pro (MS-DOS)	•	•		
WR*	Lotus Symphony	•			
WRI	MS Windows Write	•	•		
WRL	VRML-Dateiformat		•		
WS*	WordStar 3.3, 3.31, 3.45, 4.0	•			
WS*	WordStar 5.0, 5.5, 6.0	•			
WSD	WordStar 2000	•	•		
WSD	WordStar 7.0	•	•		
WSW	WordStar für Windows 1.x, 2.0	•	•		
X11	Bitmap			•	
XBM	X-Bitmap	•			
XBM	Black & white format that is C encoded			•	•
XCF	Gimp-Bild	•			
X-Face	Supports 48 x 48 pixel at 1 bit Used for small photos in newsgroups			•	•
XIF	XIF-Dokument	•			
XL*	MS Excel	•	•	•	•
XLA	MS Excel	•	•	•	•
XLA	MS Excel	•	•	•	•
XLB	MS Excel	•	•	•	•
XLC	MS Excel	•	•	•	•
XLK	MS Excel	•	•	•	•
XLL	MS Excel	•	•	•	•
XLS	MS Excel	•	•	•	•
XLT	MS Excel	•	•	•	•
XLW	MS Excel	•	•	•	•
XML	XML-Dateien	•	•		
XPM	XPixmap-Bild	•	•		
XPM	Bitmap ASCII			•	•
XTG	QuarkXPress	•			
XWD	Dump of X - Windows			•	•
XY	XyWrite (MS-DOS, Windows)	•	•		
YUV	Diskus format			•	
Z	Komprimierung				•
ZIP	Komprimierung	•	•	•	•
	Adobe Table	•			
	Calendar Control 8.0	•			

Claris Works			•	•	•
Comic Chat Room		•			
Corel BARCODE		•			
Corel CHART		•			
Corel Equation		•			
Corel MEMO		•			
Corel MOTION		•			
Corel SCRIPT		•			
Corel Wordperfect					•
Creative Soundo'LE		•			
FileMaker				•	•
FoxBase			•		•
Informix		•	•		
LEAD Video Control (10.0)		•			
Legacy 1/2		•	•		
LM Runtime Control		•			
Lotus 1-2-3 Annotator Anmerkung		•			
Lotus AmiPro - E-Mail		•	•		
Lotus AmiPro - Exec MemoMaker		•	•		
Lotus Manuscript 2.x		•	•		
Lotus Media		•			
Lotus ScreenCam 97 Movie		•			
Lotus Sound		•			
Macintosh MacWrite		•			•
Macromedia Shockwave Director Control		•			
Medien-Clip		•			
Mgraph Control		•			
MS ActiveX Upload Cntrl 1.5		•			
MS ClipArt Gallery		•		•	
MS Drawing 1.01		•			
MS Equation 3.0				•	
MS Graph		•		•	
MS Map		•			
MS NetShow File Transfer Control		•			
MS Organization Chart 2.0		•		•	
MS Photo Editor		•			
MyFilter Class		•			
Navy DIF		•	•		
ODBC		•	•	•	
Oracle		•	•		
PaperPort Document		•			

	PeachText	•	•		
	PerfectWorks 2.1		•		
	Professional Write	•	•		
	Q&A Write 1/3/4	•	•		
	RegWizCtrl	•			
	SAMNA Word	•	•		
	SQL Server	•	•		
	StarDivision StarCalc	•			
	StarDivision StarChart	•			
	StarDivision StarDraw	•			
	StarDivision StarImage	•			
	StarDivision StarMath	•			
	StarDivision StarWriter	•			
	SVG Document	•			
	Sybase System 10 & 11	•	•		
	ThumbCtl Class	•			
	VCI First Impression Chart	•			
	Videoclip	•			
	VideoRenderCtl Class	•			
	WebLotus Control	•			
	WebViewFolderIcon Class	•			
	xRes (Pfade)				•

		PC Import	PC Export	Mac Import	Mac Export
DESR VFF	-			•	
Doodle	-			•	
DPX	-			•	
FUJI	-			•	
IPLab	-			•	
ISS	-			•	
KISS CEL	-			•	•
MSX MSX2, MSX+ - MSX2+	-			•	
NIF	-			•	
PGC/PGF	-			•	
Ppat	-			•	•
QNT	-			•	
RLA	-			•	
TIM PSX	-			•	
VBM	-			•	
VPM	-			•	
MSP	1 bit images from Microsoft Paint (Windows 2.0)			•	
Dr. Halo	1. Format of the Dr. Halo application 2. Uses 256 colors			•	
Lotus-PIC	1. Vector format of the Lotus spreadsheet application			•	
.D	320x200 pixel at 1 bit			•	
3DMF	3D Model	•			
VRML	3D Model	•			
VoXEL	512 x 512 pixel at 256 grays format			•	
SNX	A modification of the JPEG format			•	
AIF	ActiveMovie	•			
AIFC	ActiveMovie	•			
AIFF	ActiveMovie	•			
AU	ActiveMovie	•			
M1V	ActiveMovie	•			
MOV	ActiveMovie	•			
PDP	Adobe Acrobat	•	•	•	•
FM	Adobe FrameMaker	•			
MIF	Adobe FrameMaker	•	•		
MK5	Adobe FrameMaker	•			
AI	Adobe Illustrator	•	•	•	•
P65	Adobe Pagemaker	•	•		
PM6	Adobe Pagemaker			•	•
PDD	Adobe Photoshop	•	•		
PSD	Adobe Photoshop	•	•	•	•

PDF	Adobe Portable Document Format	•	•	•	•
	Adobe Table	•			
PFB	Adobe Type 1 Font		•		
ALIAS	Alias Pix format Supports 256 grays or 24 bit			•	
IFF	Amiga Interchange File Format	•	•	•	•
LBM	Amiga Interchange File Format	•			
DL	Animation format with 320 x 200 pixel at 8 bit Contains normally x-rated content			•	
FLH/FLI/FLC	Animation from the Autodesk Animator FLI supports 8 bits at 320 x 200 pixel FLC support 8 bits at 640 x 480 pixel FLH supports high color.			•	
Moov	Animation QuickTime				•
ANI	Animations from the NeoChrome application			•	
PICS	Animations PICT			•	•
TXT	ANSI-Text	•	•		
MOV	Apple QuickTime Movie	•	•		
TXT	ASCII-Text	•	•		
DJVU	AT&T DjVu Dateien	•			
IW44	AT&T DjVu Dateien	•			
DWF	Autodesk		•		
SKD	Autodesk	•	•		
SKF	Autodesk	•	•		
SKT	Autodesk	•	•		
DWG	Autodesk-AutoCad/AutoSketch	•	•		
DWT	Autodesk-AutoCad/AutoSketch	•	•		
DXB	Autodesk-AutoCad/AutoSketch	•			
DXF	Autodesk-AutoCad/AutoSketch	•	•	•	•
RND	AutoShade Rendering	•			
LBI	Bibliotheksdateien	•	•		
BioRad	BioRad file format Supports 256 grays			•	
X11	Bitmap			•	
XPM	Bitmap ASCII			•	•
PIC (32K)	Black & white 640 x 400 pixel image of the ATARI			•	
PAC STAD	Black & white 640 x 400 pixel images of the ATARI application STAD			•	
PIC	Black & White ATARI image format (640x400 pixel)			•	
XBM	Black & white format that is C encoded			•	•
MacPaint	Black and white image with 576 x 720 pixels			•	•
B3D	BodyPaint 3D Format	•			

Koala	C64 format			•	
CVG	Calamus vector format			•	
	Calendar Control 8.0	•			
CAL	CALS-komprimierte Bitmap	•	•		
DJ1000	Camera format			•	
CAM	Casio Camera File (JPG only)	•			
FAX	CCITT 3 encoded fax file			•	
CALS	CCITT 4 compressed black & white images			•	
CEL	CEL format			•	•
IM	Chyron Liberty Paint format			•	
	Claris Works		•	•	•
CLP	Clipboard format of Windows			•	
System 7 clip	Clipping if System 7 or later				•
CFM	Cold Fusion-Vorlagen	•	•		
CFML	Cold Fusion-Vorlagen	•	•		
Palette	color table				•
	Comic Chat Room	•			
GIF	CompuServe GIF	•	•		
PNG	CompuServe PNG	•	•		
CGM	Computer Graphics Metafile	•	•		
DCX	Contains multiple PCX files			•	
Acorn Sprite	Contains sprites from Acorn computers			•	
	Corel BARCODE	•			
	Corel CHART	•			
CMX	Corel ClipArt-Format	•			
CMX	Corel CMX Komprimierung	•			
CDR	Corel DRAW	•	•		
	Corel Equation	•			
	Corel MEMO	•			
	Corel MOTION	•			
PAT	Corel Musterdatei	•	•		
RIFF	Corel Painter 5/6	•		•	
CPT	Corel PHOTO-PAINT	•	•		
CMX	Corel Presentation Exchange	•	•		
SHW	Corel Presentations	•			
CLK	Corel R.A.V.E.	•	•		
	Corel SCRIPT	•			
DOC	Corel WordPerfect	•	•		
WP	Corel WordPerfect	•	•		
WPG	Corel WordPerfect	•	•	•	
WPT	Corel WordPerfect	•			

	Corel Wordperfect				•
WPM	Corel WordPerfect 1.0, 2.x für Macintosh	•			
WP4	Corel WordPerfect 4.2	•	•		
WP5	Corel WordPerfect 5.0	•	•		
WP5	Corel WordPerfect 5.1	•	•		
WPD	Corel WordPerfect 6/7/8/9	•	•		
CPX	CorelCMX-Komprimierung	•			
CDX	CorelDraw-komprimiert	•			
CDT	CorelDraw-Vorlage	•	•		
Image -> Finder	Creates an image in a folder by creating custom file icons; this is very usefull for cd-rom creation				•
	Creative Soundo'LE	•			
csource	csource file format (image as csource)			•	•
DIF	Data Interchange Format	•	•	•	•
DBF	dBASE	•	•	•	•
FFT	DCA/FFT	•	•		
RFT	DCA/RFT	•	•		
DCX	DCX-Dokument	•			
DeltaVision	DeltaVision format			•	
DCS	Desktop Color Separations		•		•
ACR	DICOM/ACR Dateien	•			
DCM	DICOM/ACR Dateien	•			
GEM	Digital Research GEM	•	•	•	
YUV	Diskus format			•	
CAD	Drafix CAD	•	•		
POR	Drafix CAD PORT	•	•		
DrawIT	DrawIT PDB format on PalmOS			•	
XWD	Dump of X - Windows			•	•
FSH	EA Sports Format	•	•		
ECW	ECW wavelet format Used for large maps			•	•
ElectronicImage	Electric Image format It may contain animations			•	•
WPF	Enable	•	•		
EPS	Encapsulated PostScript	•	•	•	•
PS	Encapsulated PostScript	•	•		
ECW	Enhanced Compressed Wavelet	•			
EMF	Enhanced Windows Metafile	•	•	•	
ESM	ESM format			•	
AWD	Faxdokument	•	•		
FM	Filemaker	•	•		

FP3	Filemaker FileMaker	•	•		
FLM	Filmstreifen	•	•	•	•
FITS	Flexible Image Transport System format Normally used for science			•	
NASA Raster Metafile	Format (with or without multiple frames) from the NASA missions			•	
Apple Preferred	Format des images Apple IIgs			•	
PIC	Format from PC Paint			•	
FaxSTF	Format from the FaxSTF software			•	
HAM	Format Interchange File Format (IFF)			•	
GATAN	Format of a microscope Supports 256 grays			•	
SCX	Format of ColoRIX Supports 8 bit per pixel			•	
ART	Format of First Publisher Supports 1 bit per pixel			•	
BLD	Format of Mega Paint			•	•
MRC	Format of microscops			•	
NGG/NCG	Format of Nokia mobile phones			•	•
PCX	Format of PC-Paintbrush Support 1, 4 and 8 bit per pixel The new variant supports 24 bit per pixel, too			•	•
SoFTIMAGE	Format of Softimage Supports 32 bits per pixel Used for video applications			•	•
P ? ? Degas	Format of the ATARI application Degas 320 x 200 pixel, 16 colors (*.PI1, *.PC1) 640 x 200 pixel, 4 colors (*.PI2, *.PC2) 640 x 400 pixel, 2 colors (*.PI3, *.PC3)			•	
IC ? Imagic	Format of the ATARI application Imagic Supports the three color modes of the ATARI			•	
NEO	Format of the ATARI application NeoChrome Supports 320 x 200 pixel at 16 colors			•	
TN ?	Format of the ATARI application TINY			•	
CAM	Format of the Casio QV-10/100 Variant of the JPEG format			•	
SHP	Format of the image library of Lighting Press or Printmaster Supports 1 bit per pixel			•	
KoNTRoN	Format of the Kontron microscope Contains images that use 256 grays			•	
WBIN	Format of the MacWavelets application			•	•

Meteosat 5	Format of the meteosat satellite			•	
PIC	Format of the Psion Supports 1 or 2 bit per pixel			•	•
VPB	Format of the Quantel video system			•	•
Sinclair QL	Format of the Sinclair QL			•	
Tiny Viewer PDB	Format of the Tiny Viewer on PalmOS			•	
TRS-80	Format of the TRS-80-			•	•
PM	Format of the UNIX xv application			•	
ICo/ICN	Format of the Windows file icons			•	•
GFX	Format of Xgrabber			•	
ANPA	Format with IPTC details			•	
	FoxBase		•		•
RAF	Fuji RAF format			•	
G3	G3 FAX Dateien	•			
IMG	GEM Datei	•	•		
IMG/XIMG	GEM-Draw file format Supports 1 to 8 bit per pixel The specifications of the 24 bit per pixel variant was never official released			•	•
GIF	GIF89a	•	•	•	•
GIF	GIF-Animation	•			
QDV	Giffer format Supports 1, 4 and 8 bits per pixel			•	
XCF	Gimp-Bild	•			
GIF	Graphic Interchange Format	•	•	•	•
GrayPaint	GrayPaint PDB format on Palm OS			•	
CH*	Harvard Graphics	•			
CHT	Harvard Graphics	•			
SY3	Harvard Graphics	•			
SYM	Harvard Graphics	•			
PRS	Harvard Graphics (Windows)	•			
GAL	Hewlett Packard Graphics Gallery	•			
HGL	Hewlett Packard Graphics Language	•			
PLT	HP Graphics Language	•	•		
PLT	HPGL Plotterdatei	•	•		
HTM	Hyper Text Markup Language	•	•		
HTML	Hyper Text Markup Language	•	•		
HTX	Hyper Text Markup Language	•	•		
SHTM	Hyper Text Markup Language	•	•		
SHTML	Hyper Text Markup Language	•	•		
PF	IBM PIF	•	•		
PIF	IBM PIF	•	•		

IGS	IGES Zeichnung	•	•		
ICS	Image Cytometry Standard Format	•			
IDS	Image Cytometry Standard Format	•			
SPC	Image of the Spectrum application Supports 320 x 200 pixel at 512 colors			•	
SCR	Images of the capture tool of word for DOS The format is identical with PCX			•	•
MBM (Psion 5)	Images of the PSIoN serie 5			•	•
ImageLab/PrintTechnic	Images with 256 grays			•	
Super-Hi-Res 3200	Images with 32000 colors of the Apple ligs			•	
	Informix	•	•		
E3D	Instant 3D-Projekt	•			
CGM	International standarized file format for exchange of image with vector and bitmap content			•	
IRIS	IRIS (.fep) format			•	
JSP	Java Server Pages	•	•		
JS	JavaScript Documents	•	•		
c4	JEDMICS C4 format			•	
CMP	Joint Photographic Experts Group (JPEG)	•	•		
JFF	Joint Photographic Experts Group (JPEG)	•	•	•	•
JPE	Joint Photographic Experts Group (JPEG)	•	•	•	•
JPEG	Joint Photographic Experts Group (JPEG)	•	•	•	•
JPG	Joint Photographic Experts Group (JPEG)	•	•	•	•
JTF	Joint Photographic Experts Group (JPEG)	•	•		
JP2	JPEG2000 File Format	•	•		
KDC	Kodak Digital Camera Dateien	•		•	
FPX	Kodak FlashPix Bild	•	•		•
PCD	Kodak ICC Photo CD	•		•	
ACE	Komprimierung	•	•		
ARC	Komprimierung				•
ARJ	Komprimierung	•	•		
BIN	Komprimierung				•
CAB	Komprimierung	•	•		
CPT	Komprimierung				•
GZ	Komprimierung				•
GZip	Komprimierung	•	•		
HQX	Komprimierung			•	•
LHA	Komprimierung				•
LZH	Komprimierung	•	•		
PF	Komprimierung				•
PKG	Komprimierung				•
RAR	Komprimierung	•	•		

SIT	Komprimierung			•	•
TAR	Komprimierung	•	•	•	•
Z	Komprimierung				•
ZIP	Komprimierung	•	•	•	•
UU	Komprimierung (UUe)				•
UUE	Komprimierung (UUe)	•	•		
LASSO	Lasso-Dateien	•	•		
	LEAD Video Control (10.0)	•			
	Legacy 1/2	•	•		
SID	LizardTech MrSID Dateien	•			
	LM Runtime Control	•			
MAS	Lotus	•	•		
MPR	Lotus	•	•		
SYM	Lotus	•	•		
123	Lotus 1-2-3	•			
12M	Lotus 1-2-3	•	•		
FM3	Lotus 1-2-3				•
FMT	Lotus 1-2-3				•
OUT	Lotus 1-2-3	•			
PIC	Lotus 1-2-3	•			
WK*	Lotus 1-2-3	•	•	•	•
WKS	Lotus 1-2-3	•	•	•	•
WG*	Lotus 1-2-3 (OS/2)	•			
	Lotus 1-2-3 Annotator Anmerkung	•			
SDW	Lotus AmiDraw	•			
TEX	Lotus AmiEquation	•			
SAM	Lotus AmiPro	•	•		
SMM	Lotus AmiPro	•	•		
STY	Lotus AmiPro	•	•		
	Lotus AmiPro - E-Mail	•	•		
	Lotus AmiPro - Exec MemoMaker	•	•		
APR	Lotus Approach	•	•		
APT	Lotus Approach	•	•		
VEW	Lotus Approach	•	•		
CH*	Lotus Freelance Graphics	•			
DGM	Lotus Freelance Graphics	•	•		
DRW	Lotus Freelance Graphics	•	•		
PRE	Lotus Freelance Graphics	•	•		
PRZ	Lotus Freelance Graphics	•	•		
SMC	Lotus Freelance Graphics	•	•		
GPH	Lotus Freelance Graphics (OS/2)	•			

PRS	Lotus Freelance Graphics (OS/2)	•	•		
CHT	Lotus Graphwriter	•			
	Lotus Manuscript 2.x	•	•		
	Lotus Media	•			
NSF	Lotus Notes SQL 2.0 ODBC Driver	•	•		
OR*	Lotus Organizer	•	•		
ORG	Lotus Organizer	•	•		
PFL	Lotus Portfolio	•	•		
	Lotus ScreenCam 97 Movie	•			
	Lotus Sound	•			
WR*	Lotus Symphony	•			
LWP	Lotus Word Pro	•	•		
MWP	Lotus Word Pro	•	•		
LDF	LuraDocument Format	•	•	•	
LWF	LuraWave Format	•	•	•	•
MacDraw I	MacDraw I format			•	
MAC	Macintosh MacPaint	•	•		
PNT	Macintosh MacPaint	•			
PNTG	Macintosh MacPaint			•	
	Macintosh MacWrite	•			•
PCT	Macintosh Picture (PICT)	•	•	•	•
PIC	Macintosh Picture (PICT)	•	•		
PICT	Macintosh Picture (PICT)			•	•
SWF	Macromedia Flash/Shockwave Dateien	•	•		•
FH*	Macromedia FreeHand	•	•	•	•
FT*	Macromedia FreeHand	•	•	•	•
	Macromedia Shockwave Director Control	•			
MAG	MAKlchan graphic format			•	
SCD	Matrix/Imapro SCODL		•		
B3D	Maxon format of their 3D render application			•	
MED	MED/OctaMED Audio Dateien	•			
DICoM	Medical format			•	
	Medien-Clip	•			
MET	MET-Metadatei	•			
	Mgraph Control	•			
DRW	Micrografx Designer	•	•		
DSF	Micrografx Designer	•	•		
DS4	Micrografx Designer 4.x	•	•		
MGX	Micrografx Designer Clipart	•	•		
GRF	Micrografx Grafik	•			
PIC	Micrografx Picture	•			

PPF	Micrografx Picture Publisher	•	•		
PP4	Micrografx Picture Publisher 4.0	•	•		
PP5	Micrografx Picture Publisher 5.0	•	•		
QSF	Micrografx QuickVector-Datei	•	•		
S3D	Micrografx Simply 3D-Projekt	•	•		
DST	Micrografx-Vorlagendatei	•	•		
MID	MIDI-Sequenz	•			
RMI	MIDI-Sequenz	•			
MonkeyCard	MonkeyCard PDB format			•	•
MonkeyLogo	MonkeyLogo PDB format			•	•
MP3	MPEG Audio Dateien	•			
DAT	MPEG Dateien	•			
MPEG	MPEG Dateien	•			
MPG	MPEG Dateien	•			
MDA	MS Access	•	•		
MDB	MS Access	•	•		
MDE	MS Access	•	•		
MDW	MS Access	•	•		
ASP	MS Active Server Pages	•	•		
	MS ActiveX Upload Control 1.5	•			
	MS ClipArt Gallery	•		•	
	MS Drawing 1.01	•			
	MS Equation 3.0	•		•	
XL*	MS Excel	•	•	•	•
XLA	MS Excel	•	•	•	•
XLA	MS Excel	•	•	•	•
XLB	MS Excel	•	•	•	•
XLC	MS Excel	•	•	•	•
XLK	MS Excel	•	•	•	•
XLL	MS Excel	•	•	•	•
XLS	MS Excel	•	•	•	•
XLT	MS Excel	•	•	•	•
XLW	MS Excel	•	•	•	•
DBC	MS FoxPro	•			
DBF	MS FoxPro	•	•		
	MS Graph	•		•	
HTX	MS IIS 1-2		•		
IDC	MS IIS 1-2		•		
	MS Map	•			
MNY	MS Money	•	•		
	MS NetShow File Transfer Control	•			

	MS Organization Chart 2.0	•		•	
PCX	MS PaintBrush	•	•		•
	MS Photo Editor	•			
MIX	MS Picture It!-Bild	•	•		
FPX	MS Picture It!-FlashPix-Format	•	•	•	
PP*	MS Picture Publisher	•			
POT	MS PowerPoint	•	•		
PPS	MS PowerPoint	•	•		
PPT	MS PowerPoint	•	•	•	•
WPS	MS PowerPoint	•			
WRI	MS Windows Write	•	•		
DOT	MS Word	•	•		
DOC	MS Word (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
MCW	MS Word für Macintosh	•	•		
DOC	MS WordPad	•	•		
WKS	MS Works (MS-DOS, Windows, Macintosh)	•	•	•	•
WPS	MS Works (MS-DOS, Windows, Macintosh)	•	•	•	•
DO*	MultiMate	•	•		
DOC	MultiMate	•	•		
DOX	MultiMate	•	•		
JNG	Multiple Network Graphics	•			
MNG	Multiple Network Graphics	•			
	MyFilter Class	•			
NAP	NAP-Metadatei	•			
	Navy DIF	•	•		
JIF	New format based on GIF But it uses the zlib compression So, there is no patent conflict			•	•
NEF	Nikon D1 raw file format			•	
GSM	Nokia LogoManager	•			
NGG	Nokia LogoManager	•			
NLM	Nokia LogoManager	•			
NOL	Nokia LogoManager	•		•	•
	ODBC	•	•	•	
WP*	Office Writer	•	•		
8BIM	Old Photoshop 2.0 format Supports 1, 8 and 24 bit per pixel			•	
TG1	On Target	•			
ASCII	Option for importing and exporting images as ASCII characters			•	•
	Oracle	•	•		
BMP	OS/2 Bitmap	•	•		

MET	OS/2 Metafile	•	•		
OTA	OTA bitmap format			•	•
OLK	Outlook-Adreßbuch	•			
PSP	Paint Shop Pro Dateien	•		•	
TealPaint PDB	Palm OS format Supports black & white and 256 colors (default Palm color table)			•	
FireViewer PDB	Palm OS format Supports black & white, 4 and 16 grays and 256 colors			•	
ScreenShot Hack PDB	Palm OS format Supports black & white, 4 and 16 grays and 256 colors at 160x160 pixel			•	
PDB	Palm Pilot format GraphicConverter supports currently the variant FireViewer, TealPaint and ScreenShot Hack			•	•
	PaperPort Document	•			
DB	Paradox	•	•		
DOC	PC-Text	•	•		
	PeachText	•	•		
	PerfectWorks 2.1		•		
PAB	Persönliches Adreßbuch	•			
PoRST	Photo on disk format Variant of the JPEG format			•	
PHP	PHP-Dateien	•	•		
PICT resource	PICT that is written/read from the resource fork of a file			•	•
PXR	Pixar	•	•	•	•
PBM	Portable Bitmaps	•	•		
PGM	Portable Graymap	•	•		
PNG	Portable Network Graphic	•	•	•	•
PPM	Portable Pixelmap	•	•		
EPSF	Postscript format (*) GraphicConverter need a helper application for opening such a file			• (*)	•
PRN	PostScript Interpreted	•			
PLZ	Präsentationslisten	•			
	Professional Write	•	•		
DLL	Programmbibliotheken	•			
EXE	Programme	•			
	Q&A Write 1/3/4	•	•		
QRY	QMF Query	•			
ASV	QuarkXPress	•			
QXB	QuarkXPress	•		•	
QXD	QuarkXPress	•	•	•	•
QXT	QuarkXPress	•	•	•	•
XTG	QuarkXPress	•			

WQ*	Quattro Pro (MS-DOS)	•	•		
WB*	Quattro Pro (Windows)	•	•		
QT	QuickTime Film	•	•		
QTIF	QuickTime Picture	•	•	•	
FMV	Rahmen-Vektor-Metadatei	•	•		
RAW	Raw	•	•	•	•
CRW	Raw file format of Canon digital cameras	•		•	
ORF	Raw format of CASIO digital cameras			•	
MRW	Raw format of Minolta digital cameras			•	
MDC	Raw format of the Minolta RD-175 digital cameras			•	
RA	Real Audio Dateien	•			
	RegWizCtrl	•			
EYE	Renderize-Projektdatei	•			
RTF	Rich Text Format	•	•	•	•
	SAMNA Word	•	•		
IMQ	Satellite image format			•	
SCD	Schedule + Kontakte	•			
CT	Scitex CT	•		•	
SCT	Scitex CT	•	•	•	•
SCM	ScreenCam Movies	•			
SFW	Seattle Film Works Dateien	•		•	•
SSI	Server-Side Includes	•	•		
STM	Server-Side Includes	•	•		
SGI	Silicon Graphics Dateien	•		•	
SVG	Skalierbare Vektorgrafiken	•	•		•
DOC	SmartWare	•	•		
PGPF	Sony Clie file format			•	•
AIF	Sound Dateien	•			
AU	Sound Dateien	•			
SND	Sound Dateien	•			
WMA	Sound Dateien	•			
	SQL Server	•	•		
EXE	Standalone-Movies	•			
PBM/PGM/PPM	Standard UNIX file format for easy exchange of images Support 1, 8 or 24 bit per pixel The files can be encoded binary or ASCII			•	•
	StarDivision StarCalc	•			
	StarDivision StarChart	•			
	StarDivision StarDraw	•			
	StarDivision StarImage	•			
	StarDivision StarMath	•			

	StarDivision StarWriter	•			
SFF	Structured Fax Dateien	•		•	
CSS	Stylesheets	•	•		
RAS	Sun Raster	•	•		
SUN	SUN Raster file format Supports 8 or 24 bit per pixel			•	
CAL	SuperCalc	•			
IBM PIC	Supports 16 bit per pixel			•	
JPEG 2000	Supports 24 bits per pixel or 256 grays Uses lossy compression			•	•
JPEG/JFIF	Supports 24 bits per pixel or 256 grays Uses lossy compression Additional EXIF information (from digital cameras) is supported			•	•
oNCoR	Supports 256 grays			•	
ST X SBIG	Supports 256 grays			•	
BUF	Supports 32 bit			•	
X-Face	Supports 48 x 48 pixel at 1 bit Used for small photos in newsgroups			•	•
	SVG Document	•			
	Sybase System 10 & 11	•	•		
SLK	SYLK (Symbolische Verknüpfung)	•	•	•	•
W*	Symphony Dokument	•	•		
CPL	Systemsteuerungsoption	•			
ICB	Targa Bitmap	•	•		
TGA	Targa Bitmap	•	•		•
VDA	Targa Bitmap	•	•		
VST	Targa Bitmap	•	•		
TBC	TBCPlus			•	
TCL	TCL format			•	
SIXEL	Terminal format from the VAX world			•	
ANS	Text	•	•		
ASC	Text	•	•		
DAT	Text	•			
PRN	Text	•	•	•	•
TAB	Text	•	•		
CSV	Text (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
TXT	Text (MS-DOS, OS/2, Windows, Macintosh)	•	•	•	•
StartupScreen	This file can be placed in the system folder; so, the Mac OS will display the image during startup			•	•
	ThumbCtl Class	•			
SEP	TIFF - Tagged Image File Format	•	•		

TIF	TIFF - Tagged Image File Format	•	•	•	•
TLP	Time Line	•	•		
TTF	True Type Font	•	•		
TTF	True Type-Schrift		•		
TGA	Truevision Targa	•	•	•	•
AMBER ARR	Used by a microscope Supports 256 grays			•	
VGS-8	Used by a microscope Supports 256 grays			•	
GRP	Uses 1 or 4 bit per pixel			•	
VFF	Uses 4 bit per pixel			•	
RLE	Utah RLE Dateien	•			
BUM	Variant of the BMP or PICT format			•	•
MAYA-IFF	Variant of the IFF format			•	
j6i	Variant of the JPEG format			•	
SKETCH	Variant of the MBM format			•	
JBI	Variant of the TIFF format			•	
AFP	Variant of the TIFF format for 1 bit images			•	
	VCI First Impression Chart	•			
HP-GL/2	Vector images This format is normally used from plotters			•	•
ASF	Video for Windows	•			
WMV	Video for Windows	•			
AVI	Video für Windows	•	•		
	Videoclip	•			
	VideoRenderCtl Class	•			
VSD	Visio	•			
GED	Visual 3D-Geometriedatei	•			
VITRoNIC	Vitronic format Supports 256 grays			•	
WRL	VRML-Dateiformat		•		
DOC	Wang (WP)	•	•		
WBMP	WAP Bitmap Dateien	•		•	•
WAV	Wave-Audio	•	•	•	
WI	Wavelet Komprimierung Bitmap	•	•		
	WebLotus Control	•			
	WebViewFolderIcon Class	•			
WIF	WIFF-Datei	•			
EXE	Windows 3.x/NT Bitmap Resource	•			
CUR	Windows 3.x/NT-Cursor-Ressource	•	•		
ICO	Windows 3.x/NT-Icon-Ressource	•	•		

ICO	Windows 3.x/NT-Symbol-Ressource	•	•		
BMP	Windows Bitmap	•	•	•	•
CLP	Windows Bitmap	•	•		
DIB	Windows Bitmap	•	•		
RLE	Windows Bitmap	•	•	•	
ANI	Windows Cursor	•			
ICL	Windows Icons	•			
WMF	Windows Metafile	•	•	•	•
WSD	WordStar 2000	•	•		
WS*	WordStar 3.3, 3.31, 3.45, 4.0	•			
WS*	WordStar 5.0, 5.5, 6.0	•			
WSD	WordStar 7.0	•	•		
WSW	WordStar für Windows 1.x, 2.0	•	•		
XBM	X-Bitmap	•			
XIF	XIF-Dokument	•			
XML	XML-Dateien	•	•		
XPM	XPixmap-Bild	•	•		
	xRes (Pfade)				•
LRG	xRes LRG	•			•
XY	XyWrite (MS-DOS, Windows)	•	•		
DCX	Zsoft Paintbrush	•			
PCX	Zsoft Paintbrush	•	•		